## In the claims:

Please delete claims 1-16 without prejudice to the filing of any appropriate continuation application.

Please add new claims 17-41 as follows:

17. A method for whitening the teeth of a subject comprising the steps of applying to the teeth a composition comprising an alkalizing agent having a pH of between about 7 and about 10, and

contacting the teeth with a mixture comprising a hydrogen peroxide precursor compound in an amount effective to whiten teeth.

- 18. The method of claim (7 wherein the alkalizing agent is selected from the group consisting of sodium hydroxide, sodium carbonate, and ammonium carbonate.
  - 19. The method of claim 17 wherein the composition is a rinse, paste or gel.
- 20. The method of claim 17 wherein the composition is buffered in a manner to maintain tooth surface pH between about 7 and about 10.
- 21. The method of claim 1/7 wherein tooth surface pH is maintained at a pH of between about 7 and about 10.
- 22. A method for whitening the teeth of a subject comprising the steps of applying to the teeth a composition comprising an alkalizing agent having a pH of between about 7 and about 10, and

contacting the teeth with a mixture comprising hydrogen peroxide in an amount effective to whiten teeth.

- 23. The method of claim 22 wherein the alkalizing agent is selected from the group consisting of sodium hydroxide, sodium carbonate, and ammonium carbonate.
  - 24. The method of claim 22 wherein the composition is a pinse, paste or gel.
- 25. The method of claim 22 wherein the composition is buffered in a manner to maintain tooth surface pH at between about 7 and about 10.
- 26. The method of claim 22 wherein tooth surface pH is maintained at a pH of between about 7 and about 10.
- 27. A method for whitening teeth of a subject comprising the steps of raising tooth surface pH to between about 7 and about 10, and contacting the tooth surface with a peroxide-containing or peroxide releasing tooth bleaching composition.
- 28. The method of claim wherein the step of raising tooth surface pH includes applying to the teeth a composition comprising an alkalizing agent having a pH of between about 7 and about 10.
- 29. The method of claim 28 wherein the alkalizing agent is selected from the group consisting of sodium hydroxide, sodium carbonate, and ammonium carbonate.
- 30. The method of claim 28 wherein the composition comprising an alkalizing agent is a rinse, paste or gel.
- 31. The method of claim 28 wherein the composition comprising an alkalizing agent is buffered in a manner to maintain tooth surface pH at between about 7 and about 10.

- 32. The method of claim 28 wherein tooth surface pH is maintained at a pH of between about 7 and about 10.
- 33. A method for whitening the teeth of a subject comprising the steps of applying to the teeth a composition capable of buffering tooth surface pH at between about 7 and about 10, and

contacting the teeth with a mixture comprising a hydrogen peroxide precursor compound or hydrogen peroxide in an amount effective to whiten teeth.

- 34. The method of claim 33 wherein the composition capable of buffering tooth surface pH includes a member selected from the group consisting of potassium phosphate, sodium hydroxide, sodium carbonate, and ammonium carbonate.
  - 35. The method of claim 33 wherein the composition is a rinse, paste or gel.
- 36. A method for whitening the teeth of a subject comprising the steps of buffering tooth surface pH at between about 7 and about 10, and contacting the teeth with a mixture comprising a hydrogen peroxide precursor compound or hydrogen peroxide in an amount effective to whiten teeth.
- 37. The method of claim 36 wherein the step of buffering include applying to the tooth surface a composition comprising a member selected from the group consisting of potassium phosphate, sodium hydroxide, sodium carbonate, and ammonium carbonate.
  - 38. The method of claim 37 wherein the composition is a rinse, paste or gel.
- 39. A method for whitening the teeth of a subject comprising the steps of maintaining tooth surface pH at between about 7 and about 10, and contacting the teeth with a mixture comprising a hydrogen peroxide precursor compound or hydrogen peroxide in an amount effective to whiten teeth.

4

40. The method of claim 39 wherein the step of maintaining includes applying a composition including a member selected from the group consisting of potassium phosphate, sodium hydroxide, sodium carbonate, and ammonium carbonate.

41. The method of claim 40 wherein the composition is a rinse, paste or gel.

5